

# HIKOKI

WORKSITE SOLUTIONS

MAY - JULY 2024



**BONUS  
DEALS**

See page 2 for  
details and  
conditions

# HIKOKI

## SPEND & REDEEM YOUR FREE BONUS

**SPEND \$699**

or more on HIKOKI Cordless Tools\*

REDEEM A

**FREE 1080W  
MULTI VOLT  
BATTERY\***



**WORTH \$239**

OFFER VIA REDEMPTION

**SPEND \$999**

or more on HIKOKI Cordless Tools\*

REDEEM A

**FREE 1440W  
MULTI VOLT  
BATTERY\* OR 18V  
JIGSAW\***



**WORTH \$279**

OFFER VIA REDEMPTION

**SPEND \$1499**

or more on HIKOKI Cordless Tools\*

REDEEM A

**FREE BATTERY  
& CHARGER  
KIT\* OR 18V  
RADIO\***



**WORTH \$359**

**WORTH \$399**

OFFER VIA REDEMPTION

\*Offer excludes individually purchased chargers, batteries, accessories, storage and as well as AC (Corded) Power Tools. TERMS & CONDITIONS APPLY. Not in conjunction with any other bonus offers. While stocks last. Offer valid for purchases from 1 May - 31 July 2024. Redemption closes 15 August 2024. Spend value includes GST. Purchases must be transacted on one receipt. Bonus value is based on RRP. Full terms & conditions. go to [hikoki.co.nz/promotions/](https://hikoki.co.nz/promotions/)

SCAN FOR  
FULL T's & C's  
AND TO  
REDEEM



# New High Performance Grease Gun & Combo Kit

## NEW 18V Cordless 450g Grease Gun Kit

AL18DA(GRZ)

- Variable flow dial with up to 10 pre-set discharge pressure settings
- High discharge pressure (690 bar)
- Detachable LED light for high visibility
- 1200mm flexible hose length for quick easy access into tight spaces
- 3-way filling system : Grease cartridge, containers or direct filling
- Lock-on trigger for continuous operation
- Two-mode operation - select between high pressure and high flow rate
- Compact and lightweight

Supplied with 1x 1080W MULTI VOLT Battery (BSL36A18X), Rapid Charger, Case, Shoulder Belt.

Also available as a Bare Tool AL18DA(G4Z)

Arriving late July



Barrel Capacity	Flow Rate	Max. Pressure	Speed Modes	Flow Settings	Hose Length	LED Light	Weight	Voltage
450g	Low: 115ml / High: 297ml	69/41MPa	2-Modes	10 Flow Settings	1200mm	Yes	4.3kg	18V

## NEW 36V/18V 450g Grease Gun & 3/4" Impact Wrench Kit

KC36182DA(GRZ)

### 18V Cordless 450g Grease Gun (AL18DA)

- Variable flow dial with up to 10 pre-set discharge settings
- High discharge pressure (690 bar)
- Two mode operation (High pressure/high flow rate)

### 36V Brushless 3/4" Impact Wrench (WR36DA)

- Huge 1,100Nm tightening torque (1,800Nm Nut Busting torque!)
- Variable speed control
- 4-stage tightening mode selector
- IP56 Dust and Water resistant

Includes 2x 1080W MULTI VOLT Batteries (BSL36A18X), Rapid Smart Charger and Case.

Arriving late July



# New High Powered 36V Brushless 305mm Mitre Saw

## NEW 36V Brushless 305mm Slide Compound Mitre Saw Kit

C3612DRA(GRZ)

- New Torque Boost Technology that combines precision, power and speed for the perfect smooth cut every time even under heavy load
- Smart Auto Switch Mode automatically adjusts no-load speed and torque depending on the load and application
- Front bevel angle: Left / Right 45°
- XACT Cut uses a LED light to cast an accurate shadow line where the blade will cut the material
- Sliding sub-fence to support large pieces

Supplied with 1x MULTI VOLT battery (BSL36A18X), 32 min. Rapid Charger, TCT Blade and Wrench

Also available as a Bare Tool C3612DRA(G4Z)



Blade Dia.	Mitre Angle	Bevel Angle	Cross Cut Capacity	Compound 45° x 45°	Bevel 45°	Mitre 45°	Weight	Voltage
305mm (12")	L: 45° R: 57°	L: 45° R: 45°	105mm x 312mm 105mm x 220mm	68mm x 220mm 43mm x 220mm	68mm x 312mm 43mm x 312mm	105mm x 220mm 105mm x 220mm	26kg (BSL36A18X)	36V

## Superior features maximised for optimal performance

This next generation of Mitre Saws now brings superior performance and power to the worksite. Features Xact cut LED and new Torque Boost Technology and Smart Auto Switch for high speed and high power.



### XACT CUT LED

LED lighting system uses a LED light to cast an accurate shadow line exactly where the blade will cut.



### Front Access Bevel & Mitre Lock

Quick one touch mitre lock handle and front bevel locking lever making it easy to use and enhances manoeuvrability.



### Torque Boost Technology Mode

Combines high-speed and high torque allowing to adjust speed and power for optimal performance under heavy load.

# High Powered 36V Brushless Saw Kits

## 36V Brushless 255mm Slide Compound Mitre Saw Kit

C3610DRA(HAZ)

- Powered by 36V High Performance brushless motor
- Compact slide system eliminates the need for rear clearance
- Front bevel lock and dual bevel: Left / Right 48°
- Powered by 36V 1440W high-powered MULTI VOLT battery
- Sliding sub-fence to support large pieces

Supplied with 2x MULTI VOLT batteries (BSL36B18), 52 min. Rapid Charger, Blade and Wrench



Blade Dia.	Mitre Angle	Bevel Angle	Cross Cut Capacity	Compound 45° x45°	Bevel 45°	Mitre 45°	Weight	Voltage
255mm (10")	L: 55° R: 60°	L: 48° R: 48°	89mm x 292mm	45mm x 204mm 25mm x 204mm	45mm x 292mm 25mm x 292mm	89mm x 204mm 89mm x 204mm	20kg (BSL36B18)	36V

## 36V Brushless 185mm Slide Compound Mitre Saw BARE TOOL

C3607DRA(H4Z)

- Ultra-high precision cutting with highly accurate adjustment system
- Twin Belt Drive system for the smoothest possible cuts
- Compact slide system eliminates the need for rear clearance
- Dual bevel: Left/Right 45°
- Sliding sub-fence to support large pieces

Supplied without batteries and charger.



Blade Dia.	Mitre Angle	Bevel Angle	Cross Cut Capacity	Compound 45° x45°	Bevel 45°	Mitre 45°	Weight	Voltage
185mm (7 1/4")	L: 45° R: 57°	L: 45° R: 45°	58mm x 310mm	39mm x 218mm 39mm x 218mm	39mm x 310mm 16mm x 310mm	58mm x 218mm 58mm x 218mm	15.1kg (BSL36A18)	36V

## 36V Brushless 254mm Professional Worksite Table Saw Kit

C3610DRJ(GAZ)

- Large table size (730 x 560mm)
- Highly accurate rack and pinion adjustment system
- Powered by 1440W High Powered MULTI VOLT Batteries
- Soft start and electric brake
- Large adjustable rip fence with a max. cutting capacity of 889mm
- Stand sold separately (#374769)

Includes 2x 1440W MULTI VOLT batteries and Rapid Charger.



Blade Dia.	Cutting Depth	Motor	No Load Speed	Rip Fench Length	Table Size	Soft Start	Weight	Voltage
254mm (10")	90° 79mm 45° 57mm	Brushless	5,000/min	R: 889mm L: 445mm	730mm x 560mm	Yes	29.5kg	36V

# Latest HiKOKI Power Tool Bare Tools

## NEW 18V Brushless Air Duster BARE TOOL

RA18DA(G4Z)

- Variable speed control for wide range of applications
- Lightweight and compact design
- Built-in LED light for high visibility
- High performance brushless motor delivering 122m/s air velocity
- Multi-functional tool ideal for cleaning, blowing, inflating and deflating
- Tool-less nozzle changing system
- Lock-on trigger switch and two-mode operation

Supplied without batteries and charger.

Includes Air Dusting Nozzle, Suction Attachment, Inflating & Deflating Nozzle.



Maximum Airflow	Air Velocity	Maximum Pressure	No Load Speed	Switch Type	Motor Type	Weight	Voltage
0.7m <sup>3</sup> /min	High: 122m/s Low: 100m/s	18kPa / 2.61PSI	89,000/min	Trigger	Brushless	1.2kg (BSL36A18X)	18V

## 18V Brushless 5,000RPM Collated Screwdriver BARE TOOL

W18DA(G5Z)

- Powerful 18V brushless motor delivers 5,000rpm
- Auto-start function, the screwdriver to start automatically when pressed against a surface
- Impulse function for precise countersinking of screws
- Setting sleeve for an easy set of screw depth
- Ergonomic design for a comfortable grip and better control
- LED lights for convenient operation in the dark
- Quick release magazine

Supplied without batteries and charger. Includes Magazine Head, x2 phillips bits



Hex Driving Shank	Screw Size Dia.	Max. Screw Length	Mode Type	No Load Speed	Motor Type	Weight	Voltage
6.35mm	4mm	57mm	Auto, Impulse & Manual	0 - 5,000/min	Brushless	1.8kg (BSL36A18X)	18V

## 18V Brushless 3,000RPM Screwdriver BARE TOOL

W18DB(G4Z)

- Auto-start function and impulse function
- Ergonomic design for a comfortable grip and better control
- LED lights for convenient operation in the dark

Supplied without batteries and charger. Includes x2 phillips bits

Collated magazine attachment also available 378857



Hex Driving Shank	Screw Size Dia.	Max. Screw Length	Mode Type	No Load Speed	Motor Type	Weight	Voltage
6.35mm	4mm	57mm	Auto, Impulse & Manual	0 - 3,000/min	Brushless	1.8kg (BSL36A18X)	18V

# Latest HiKOKI Power Tool Bare Tools

## 18V Worksite Bluetooth Radio BARE TOOL

UR18DA(H4Z)

- Bluetooth for wireless music connectivity
- Station preset for AM/FM
- Includes AC Power Adaptor
- Premium sound quality and digital tuner
- Digital Audio Broadcasting (DAB)
- Equaliser function for quality audio adjustment
- Backlit LED display
- Compact and lightweight

Supplied without batteries and charger. Includes AC Power Adaptor



AM Frequency	FM Frequency	DAB+	Speaker	Bluetooth	Bass / Treble EQ	Weight	Voltage
87.5 to 108MHz	522 to 1,710KHz	174 to 240 MHz	8W x1	Ver.4.2BR/EDR	-7 to +7	1.8kg	18V

## 18V Brushless UVP Multi Tool BARE TOOL

CV18DA(G4Z)

- High performance 18V brushless motor
- Quick and easy tool-less blade change
- User vibration protection for more control and added comfort
- Variable speed dial for more control over applications
- Higher cutting speed and improved oscillation angle of 3.6°
- Accepts OIS and Starlock blades
- Constant speed control
- Bright LED light for low light applications

Supplied without batteries and charger. Includes 1x BIM Convex Starlock Blade



Blade Types	No-load Oscillation	LED Light	Oscillation Angle	Speed Control	Blade Change	Motor Type	Weight	Voltage
Starlock, OIS	6,000 - 20,000/min	Yes	3.6 degrees	Variable Speed Dial	Tool-less	Brushless	1.6kg (BSL1840M)	18V

## Optional Multi Tool Starlock Blades

Compatible with HiKOKI CV18DBL & CV18DA Multi Tools.



Scan to explore full range of blades

# 36V Brushless Compressor and SDS-MAX Rotary Hammer

## 36V Brushless 7.3L 135psi Compressor BARE TOOL

EC36DA(H4Z)

- Powerful 36V brushless motor
- 17 sec. refill time (BSL36A18X) or 15 sec. (BSL36B18X)
- Compact hotdog tank with all metal roll-cage for added durability
- Two easy to read gauges for tank pressure and regulated pressure
- Large on/off knob allows for easy control
- Oil-free design and air filter for dust protection and low maintenance

Supplied without batteries and charger. Includes Nitto-style coupling.



**36V**

**BRUSHLESS**

Tank Capacity	Max. Working Pressure	Cut-in Pressure	Cut-out Pressure	Motor Type	Lubrication	Weight	Voltage
7.3L	135psi	105psi	135psi	Brushless	Oil-less	12.4kg (BSL36B18X)	36V

## 36V Brushless 40mm SDS-MAX Rotary Hammer Kit

DH3640DA(GAZ)

- High performance 36V brushless motor
- 2 mode action: Hammer drilling or chiselling
- Huge 9.2J impact energy
- User Vibration Protection (UVP)
- Variable and constant speed control
- SDS-MAX bit shank
- On-lock function for continuous work
- Reactive Force Control (RFC)
- Low Vibration Handle (LVH)
- Tool adjustment angle easily allows for rotation of the chiselling tool or cutter to the desired angle
- Fastest drilling and demolishing performance in it's class\*
- 4 stage speed selector

Supplied with 2x 1440W Multi Volt Batteries (BSL36B18X), Rapid Smart Charger, Case, Hammer Grease, Side Handle.

Also available as a bare tool DH3640DA(G2Z)



Impact Energy	Bit Size	User Vibration Protection	Masonry	No Load Speed	Full Load Impact Rate	Motor Type	Weight	Voltage
9.2J	SDS-MAX	UVP + LVH	40mm	0 - 500/min	0 - 2,800/min	Brushless	7.4kg	36V

# High Powered SDS+ Brushless Rotary Hammers

## 36V Brushless 28mm SDS+ Rotary Hammer Kit

DH3628DC(GGZ)

- High-powered 36V brushless motor
- 3 mode action : Rotary Drilling, Hammer Drilling, or Chiselling
- 2-step speed control
- Quick release chuck for standard 13mm drill bit
- Anti-kickback (RFC) for increased user safety
- Low Vibration Handle (LVH) with dynamic shock absorber (UVP)
- Auto-stop function and constant speed control
- High performance 99.7% HEPA filter dust extractor system

Includes 2x 1080W Batteries (BSL36A18), Rapid Charger, HEPA filter system, Quick Release Chuck, Side Handle, Depth Gauge, Cases.

Also available as a Bare Tool DH3628DC(G2Z)



## 18V Brushless 26mm SDS+ Rotary Hammer BARE TOOL

DH1826DA(G4Z)

- High performance brushless motor
- 3 mode action : Rotary Drilling, Hammer Drilling, or Chiselling
- 2-speed control
- Anti-kick back (RFC) and Low Vibration Handle (LVH)
- Auto-stop function and constant speed control

Supplied without batteries, drill bit, charger and case. Includes Side Handle, Depth Gauge



## 18V Brushless 18mm SDS+ Rotary Hammer BARE TOOL

DH18DPA(G2Z)

- High performance brushless motor
- 2 mode action: Rotary Drilling, Hammer Drilling
- 2-speed control
- Anti-kick back (RFC) and Low Vibration Handle (LVH)
- Built-in Auto-stop function and constant speed control

Supplied without batteries, drill bit, charger. Includes Side Handle, Depth Gauge, Case.



Model	Bit Size	Wood	Steel	Masonry	No Load Speed	Full Load Impact Rate	Motor Type	Weight	Voltage
DH3628DC(GGZ)	SDS+	32mm	13mm	28mm	0 - 950/min	0 - 4,300/min	Brushless	4.1kg	36V
DH18DPA(G2Z)	SDS+	18mm	13mm	18mm	0 - 1,080/min	0 - 5,500/min	Brushless	2.1kg	18V
DH1826DA(G4Z)	SDS+	27mm	13mm	26mm	0 - 950/min	0 - 4,300/min	Brushless	2.8kg	18V

# High Voltage and Torque Impact Drills with Gyro Sensor

## 36V Brushless 155Nm High Torque Impact Drill Kit

DV36DC(GRZ)

- 155Nm hard torque output
- Reactive Force Control with Gyro Sensor
- New optimally designed 36V brushless motor and inverter circuit
- 13mm heavy-duty metal keyless chuck
- Impact Mode for concrete drilling
- New and improved side handle for greater control
- Variable Speed Control

Includes 2x 1080W MULTI VOLT batteries (BSL36A18), Rapid Charger and case

Also available as a bare tool DV36DC(G4Z)



## 18V Brushless 140Nm High Torque Impact Drill BARE TOOL

DV18DC(G4Z)

- 140Nm hard torque output
- Reactive Force Control with Gyro Sensor delivers additional Anti-Kickback safety for users
- 13mm heavy-duty metal keyless chuck
- Impact Mode for concrete drilling
- 18V High-Performance brushless motor
- Variable Speed Control

Supplied without batteries, charger and case. Includes belt hook, side handle.



## 18V Brushless 13mm Impact Drill BARE TOOL

DV18DE(G4Z)

- Compact, powerful brushless model, with superior handling
- Reactive Force Control safety feature
- New robust aluminium gear-case
- 22 stage clutch
- 2 speed gearbox (High/Low)
- Heavy duty 13mm single sleeve metal keyless chuck

Supplied without batteries, charger and case. Includes belt hook.

Also available as a Kit DV18DE(GMZ)



Model	Chuck Size	Wood	Steel	Masonry	No Load Speed	Hard Torque	Weight	Length	Voltage
DV36DC	15 - 13mm	118mm	20mm	20mm	0 - 550/min (Low) / 0 - 2,200/min (Hi)	155Nm	2.8kg (BSL36A18)	190mm	36V
DV18DC	15 - 13mm	102mm	16mm	20mm	0 - 5,00/min (Low) / 0 - 2,200/min (Hi)	140Nm	2.8kg (BSL36A18)	190mm	18V
DV18DE	15 - 13mm	52mm	13mm	13mm	0 - 5,50/min (Low) / 0 - 2,000/min (Hi)	70Nm	1.9kg (BSL36A18)	159mm	18V

# Heavy Duty High Powered Drilling Solutions

## 36V Brushless 13mm Right Angle Drill BARE TOOL

D36DYA(G4Z)

- Drilling capacity with up to 159mm hole saw
- Reactive Force Control with anti-kickback safety feature
- Heavy duty 13mm keyed chuck for superior bit retention
- 2-Speed gear box
- High performance 36V brushless motor
- Lightweight and well balance design
- Mechanical clutch
- Bright LED light

Includes side handle, chuck key.  
Supplied without drill bit, battery, charger and case.



**36V**

**BRUSHLESS**

**RFC**  
REACTIVE FORCE CONTROL

Clutch Type	Chuck Size	Steel	Wood	Hole Saw	No Load Speed	Motor Type	Weight	Length	Voltage
Mechanical	13mm Keyed	13mm	118mm	159mm	400/min (Low) / 1,500/min (Hi)	Brushless	13.9kg (BSL36A18X)	650mm	36V

## 36V Brushless 20mm Heavy Duty Impact Drill BARE TOOL

DV3620DA(G4Z)

- Super heavy duty 36V brushless motor
- High torque drilling for heavy duty drilling applications
- Ideal for electricians, plumbers, and engineers
- Quick Impact / non-impact switch
- Masonry drilling up to 20mm capacity

Includes side handle and framing hook. Supplied without drill bit, battery, charger and case.



**36V**

**BRUSHLESS**

**RFC**  
REACTIVE FORCE CONTROL

## 36V Brushless 13mm Heavy Duty Drill BARE TOOL

D3613DA(G4Z)

- Super heavy duty 36V brushless motor
- High torque drilling for heavy duty drilling applications
- Ideal for electricians, plumbers and engineers

Includes side handle and framing hook. Supplied without drill bit, battery, charger and case.



**36V**

**BRUSHLESS**

**RFC**  
REACTIVE FORCE CONTROL

Model	Chuck Size	Wood	Steel	Masonry	No Load Speed	Motor Type	Weight	Length	Voltage
DV3620DA	1.5 - 13mm	40mm	13mm	20mm	0 - 1,000/min (Low) / 0 - 1,400/min (Hi)	Brushless	3.3kg (BSL36A18X)	356mm	36V
D3613DA	1.5 - 13mm	40mm	13mm	N/A	0 - 1,000/min (Low) / 0 - 1,400/min (Hi)	Brushless	3.3kg (BSL36A18X)	356mm	36V

# High Cutting Speeds & High Powered Circular Saws

## 36V Brushless 185mm Circular Saw Kit

C3607DB(GVZ)

- AUTO switch function automatically increases torque when under heavy load to optimise cutting speeds and efficiencies
- 185mm Blade - max cut 62mm at 90°
- 33% increase in no-load speed compared to previous model\*
- Durable and lightweight design
- Silent mode allows for quieter operation
- Quick and easy blade change
- Soft start for smooth control

Includes 1x 1440W MULTI VOLT battery (BSL36B18), Rapid Charger, Case, Blade, Rafter Hook and Wrench.

Also available as a Bare Tool C3607DB(G4Z)



**36V**

**BRUSHLESS**

**MV**  
MULTI VOLT

**TORQUE BOOST**



380742  
Guide Rail Adaptor Optional Accessory



380086  
Dust Adaptor Optional Accessory



302691  
Guide Optional Accessory

Modes	Blade Dia.	Max Cut 90°	Max Cut 45°	No Load Speed	Motor Type	Weight	Voltage
Auto Switch / High Torque	185mm	62mm	47.5mm	4,500/min (low) 6,000/min (Hi)	Brushless	4.6kg (BSL36B18X)	36V

## 36V Brushless 165mm Circular Saw BARE TOOL

C3606DB(G4Z)

- 165mm Blade - max cut 66mm at 90°
- Super compact and lightweight
- Bevel Capacity - max cut 45mm at 45°
- Durable, compact and lightweight design
- Silent mode allows for quieter operation
- Two ultra-bright LED lights
- Rotatable dust exhaust with quick release
- Quick and easy blade change
- Soft start for smooth control

Supplied without batteries. charger. Includes Blade, Wrench, Dust Exhaust.



**36V**

**BRUSHLESS**

Model	Blade Dia.	Max Cut 90°	Max Cut 45°	No Load Speed	Motor Type	Handle Position	Weight	Voltage
C3607DB	185mm	62mm	47.5mm	4,500/min (low) 6,000/min (Hi)	Brushless	D-Handle	4.6kg (BSL36B18X)	36V
C3606DB	165mm	66mm	45mm	2,000/min (Silent) 5,600/min (Hi)	Brushless	D-Handle	3.7kg (BSL36B18X)	36V

# High Powered 36V Brushless Plunge Cut Saw


## 36V Brushless 165mm Plunge Cut Saw Kit

C3606DPA(GCZ)

- 36V High Performance brushless motor
- Electronic soft start feature for smooth start-ups
- Accurate precision cutting when fitted to a guide rail (not included)
- Variable speed function for greater control
- Double guide for precise setting of cutting depth
- Rotatable dust extractor nozzle for variable working positions
- Fast brake function for improved safety

Includes 1x Multi Volt battery (BSL36A18X), Rapid Charger, Dust Port, Saw Blade, Connector, Hex Wrench, System Case 4

Also available as a bare tool C3606DPA(G5Z)



**36V**

**BRUSHLESS**

**MV**  
**MULTI VOLT**

Blade Dia.	Max Cut 90°	Max Cut 45°	Bevel Angle	No Load Speed (rpm)	Motor Type	Rail Compatible	Weight	Voltage
165mm	66mm	43mm	-1° to 46°	Low : 2,500 / Hi: 5,200	Brushless	Yes (not Included)	5.1kg (BSL36A18X)	36V

## Optional Rail Saw Accessories

Metabo rail saw accessories are compatible with HiKOKI C3606DPA Plunge Cut Saw



FSW  
Mitre Fence



4100080  
Rail Connector



4100071  
800mm Rail



4100072  
1600mm Rail



629014000  
310mm Rail



379259  
1600mm Rail Bag



FSSZ  
Quick Tension Clamp



631031000  
Tension Clamp (2pk)

# High Powered Circular Saw Bare Tools

## 18V Brushless 165mm Circular Saw BARE TOOL

C1806DB(G4Z)

- 165mm Blade - max cut 66mm at 90°
- Bevel Capacity - max cut 45mm at 45°
- Silent mode allows for quieter operation
- Rotatable dust exhaust with quick release
- Quick and easy blade change
- Soft start for smooth control

Supplied without batteries, charger. Includes Blade, Wrench, Dust Exhaust.

**18V**

**BRUSHLESS**



Blade Dia.	Max Cut 90°	Max Cut 45°	No Load Speed	Motor Type	Handle Position	Weight	Voltage
165mm	66mm	45mm	2,500/min (Silent) / 4,500/min (Hi)	Brushless	D-Handle	3.6kg (BSL36A18X)	18V

## 36V Brushless 185mm Rear Handle Circular Saw BARE TOOL

C3607DWA(G4Z)

- 185mm Blade - max cut 62mm at 90°
- Bevel Capacity - 53° with stops at 22.5°, 45°, and 53°
- Durable and lightweight magnesium base with clear site lines
- Electronic brake function
- Quick and easy blade change
- Soft start for smooth control

Supplied without batteries, charger. Includes blade, dust port and wrench.

**36V**

**BRUSHLESS**



Blade Dia.	Max Cut 90°	Max Cut 45°	Max Cut 53°	No Load Speed	Motor Type	Handle Position	Weight	Voltage
185mm	62mm	45mm	38mm	5,100/min	Brushless	Rear Handle	4.7kg (BSL36B18X)	36V

## 18V Brushless 135mm Metal Circular Saw BARE TOOL

CD1805DB(G4Z)

- 135mm Metal TCT Blade - accepts up to 150mm metal cutting blades
- Max. Cutting Depth of 51.5mm (135mm Blade)  
or 57.5mm (150mm blade)
- Overload protection with anti-kickback safety feature
- Seamlessly switch rotation speeds (Power Mode / Silent Mode)
- High performance stainless steel base
- Quick and easy blade change with protective dust collecting housing
- Soft start for smooth control

Supplied without batteries, charger and case. Includes blade, dust port and wrench.

**18V**

**BRUSHLESS**



Blade Dia.	Max Cutting Depth	Base Material	No Load Speed	Motor Type	Handle Position	Weight	Voltage
135mm	51.5mm	Stainless Steel	2,200/min (Silent) 4,200/min (Power)	Brushless	D-Handle	3.1kg (BSL36A18X)	18V

# Up to 1500W of Grinding Power and Superior Safety Features

## 36V Brushless 1500W 125mm Safety Angle Grinder Kit

G3613DVF(GRZ)

- Outstanding grinding power equivalent to 1500W Max Output
- Self Protection Mode - Reduces power output in event of overheating to allow the tool to continue to operate while cooling down the motor
- AUTO Mode adjusts speed automatically
- 36V High Powered brushless motor
- Anti-kickback, brake and restart protection safety features
- Superior dust and water protection mesh filter
- Variable Speed function for greater flexibility
- Safety Deadman switch design
- Tool-less guard quick adjustment system
- Dual LED Lights to provide better visibility

Includes 2x MULTI VOLT batteries (BSL36A18), 32min. Rapid Charger, Grinding Wheel, Side Handle, Wrench and case



Also available as a bare tool G3613DVF(G4Z)

**36V**

**1500W**  
MAX OUTPUT

**BRUSHLESS**

**MV**  
MULTI VOLT

## 36V Brushless 1500W 125mm Angle Grinder Kit

G3613DVE(GRZ)

- Outstanding grinding power equivalent to 1500W Max Output
- Self Protection Mode - Reduces power output in event of overheating to allow the tool to continue to operate while cooling down the motor
- AUTO Mode adjusts speed automatically
- 36V High Powered brushless motor
- Anti-kickback, brake and restart protection safety features
- Superior dust and water protection mesh filter
- Variable Speed function for greater flexibility
- Easy on/off Slide Switch
- Shock-Sensor - Tool shut-off automatically when dropped
- Fast charging with 32min Rapid Smart Charging technology

Includes 2x MULTI VOLT batteries (BSL36A18), 32min. Rapid Charger, Grinding Wheel, Side Handle, Wrench and case



Also available as a bare tool G3613DVE(G4Z)

**36V**

**1500W**  
MAX OUTPUT

**BRUSHLESS**

**MV**  
MULTI VOLT

Model	Disc Dia.	Spindle Thread	Hole Dia.	Switch Type	No Load Speed	No Load Speed	Max Output (W)	Weight	Voltage
G3613DVF(GRZ)	125mm	M14 x 2	22.23mm	Paddle Switch	10,000/min (normal)	5,500/min (AUTO)	1500W	2.8kg	36V
G3613DVF(G4Z)	125mm	M14 x 2	22.23mm	Paddle Switch	10,000/min (normal)	5,500/min (AUTO)	1500W	2.8kg	36V
G3613DVE(GRZ)	125mm	M14 x 2	22.23mm	Slide Switch	10,000/min (normal)	5,500/min (AUTO)	1500W	2.8kg	36V
G3613DVE(G4Z)	125mm	M14 x 2	22.23mm	Slide Switch	10,000/min (normal)	5,500/min (AUTO)	1500W	2.8kg	36V

# High Performance Brushless Angle Grinders

## 18V Brushless 125mm Angle Grinder BARE TOOL

G1813DA(G4Z)

- Anti-kickback, Restart and Overload Protection
- Anti-vibration handle (LVH)
- Slide Switch for easy on/off operation
- Mesh filter for improved dust protection
- Powerful grinding with 750W Max Output

Supplied without batteries, charger and case.



## 18V Brushless 125mm Safety Angle Grinder BARE TOOL

G1813DF(G4Z)

- Anti-kickback, Restart and Overload Protection
- Anti-vibration handle (LVH)
- Paddle Switch for added safety
- Mesh filter for improved dust protection
- Powerful grinding with 750W Max Output

Supplied without batteries, charger and case.



## 36V Brushless 180mm Angle Grinder BARE TOOL

G3618DA(G4Z)

- Variable speed function for greater control
- AUTOMode adjusts speed automatically
- Soft-start, Anti-kickback, brake and restart safety protection
- Dust and water resistant\*

Supplied without batteries, charger and case.



## 36V Brushless 230mm Angle Grinder BARE TOOL

G3623DA(G4Z)

- Variable speed function for greater control
- AUTOMode adjusts speed automatically
- Soft-start, Anti-kickback, brake and restart safety protection
- Dust and water resistant\*

Supplied without batteries, charger and case.



Model	Disc Size	Spindle Thread	Hole Dia.	No Load Speed	Switch Type	Safety Protection	Weight	Voltage
G1813DA	125mm	M14 x 2	22.23mm	8,000/min	Slide Switch	Soft Start, Restart, Anti-kickback	2.6kg	18V
G1813DF	125mm	M14 x 2	22.23mm	3,200 - 8,000/min	Paddle Switch	Brake, Restart, Anti-kickback	2.9kg	18V
G3618DA	180mm	M14 x 2	22.23mm	3,200/min / 5,300/min	Paddle Switch	Brake, Restart, Anti-kickback	4.7kg	36V
G3623DA	230mm	M14 x 2	22.23mm	3,200/min / 5,300/min	Paddle Switch	Brake, Restart, Anti-kickback	4.9kg	36V

# High Torque 36V Impact Wrench Kits

## 36V Brushless 3/4" 1,100Nm Impact Wrench Kit

WR36DA(GRZ)

- Huge 1,100Nm tightening torque (1,800Nm Nut Busting torque<sup>1</sup>)
- Variable speed control
- 4-stage tightening mode selector
- IP56 Dust and Water resistant<sup>2</sup>

Supplied with 2x MULTI VOLT batteries (BSL36A18), 32min. Rapid Charger, and case

Also available as a bare tool WR36DA(G4Z)



## 36V Brushless 1/2" 1,050Nm Impact Wrench Kit

WR36DB(GRZ)

- Huge 1,050Nm tightening torque (1,650Nm Nut Busting torque<sup>1</sup>)
- Variable speed control
- 4-stage tightening mode selector
- IP56 Dust and Water resistant<sup>2</sup>

Supplied with 2x MULTI VOLT batteries (BSL36A18), 32min. Rapid Charger, and case

Also available as a bare tool WR36DB(G4Z)



## 36V Brushless 1/2" 770Nm Impact Wrench Kit

WR36DE(GRZ)

- Huge 770Nm tightening torque (1,050Nm Nut Busting torque<sup>1</sup>)
- Variable speed control & 4-stage tightening mode selector
- IP56 Dust and Water resistant<sup>2</sup>
- Auto stop mode for repetitive tightening applications

Supplied with 2x MULTI VOLT batteries (BSL36A18), 32min. Rapid Charger, and case.

Also available as a bare tool WR36DE(G4Z)



Supplied without socket.

Model	Tightening Torque	Nut Busting Torque	Bolt Capacity	High Tension Bolt	No Load Speed (High)	Full Impact Rate	Weight	Voltage
WR36DA(GRZ)	1,100Nm	1,800Nm	M12 - M30	M10 - M24	0-1,500/min	0 - 2,900/min	3.7kg (BSL36A18X)	36V
WR36DB(GRZ)	1,050Nm	1,650Nm	M12 - M30	M10 - M24	0-1,500/min	0 - 2,900/min	3.7kg (BSL36A18X)	36V
WR36DE(GRZ)	770Nm	1050Nm	M10 - M20	M10 - M16	0 - 2,400/min	0 - 3,400/min	2.6kg (BSL36A18X)	36V

# High Performance 36V & 18V Sabre Saws

## 36V High Powered Brushless Sabre Saw Kit

CR36DA(GGZ)

- Heavy Duty twin rotation counterweight drive system
- Orbital mode cutting or straight cutting mode
- UVP Anti-vibration system
- 4-stage selector - low, medium, high and AUTO mode
- Quick and easy tool-less blade change and shoe adjustment system
- LED light and large pivoting hook

Supplied with 2x MULTI VOLT batteries (BSL36A18), 32min. Rapid Smart Charger, blade and carry case

Also available as a bare tool CR36DA(G4Z)



**BRUSHLESS**

**UVP**  
USER VIBRATION PROTECTION

**MV**  
MULTI VOLT

**36V**

**1080W**  
HIGH OUTPUT BATTERY

## 18V Brushless Sabre Saw BARE TOOL

CR18DBL(G4Z)

- 18V High-Performance brushless motor
- Anti-vibration system for low vibration and maximum comfort
- 4-mode (Low, Medium, High, AUTO mode)
- Easy tool-less blade change and pivoting shoe

Supplied without batteries, charger and case. Includes blade.



**18V**

**BRUSHLESS**

**LVH**  
LOW VIBRATION HANDLE

## 18V Brushless Sabre Saw BARE TOOL

CR18DMA(G4Z)

- 18V High-Performance brushless motor
- Anti-vibration system for low vibration and maximum comfort
- 4-mode (Low, Medium, High, Max. Mode)
- Easy tool-less blade change and adjustable pivoting shoe

Supplied without batteries, charger and case. Includes blade.



**18V**

**BRUSHLESS**

**UVP**  
USER VIBRATION PROTECTION

## 18V One Handed Sabre Saw BARE TOOL

CR18DA(G4Z)

- Compact, light weight and well balance design
- One handed operation
- Quick and easy tool-less blade change and adjustable pivoting shoe
- Unique jigsaw blade compatibility

Supplied without batteries, charger and case. Includes blade.



**18V**

Model	Pipe	Steel	Wood	No Load Speed	No Load Speed	No load Speed	Weight	Voltage
CR36DA(GGZ)	130mm	19mm	300mm	1,700/min (slow)	2,000/min (medium)	3,000/min (high)	4.8kg (BSL36A18X)	36V
CR36DA(G4Z)	130mm	19mm	300mm	1,700/min (slow)	2,000/min (medium)	3,000/min (high)	4.8kg (BSL36A18X)	36V
CR18DBL(G4Z)	130mm	19mm	130mm	1,600/min (slow)	2,300/min (medium)	2,500/min (high)	3.4kg (BSL36A18X)	18V
CR18DMA(G4Z)	130mm	19mm	120mm	1,500/min (slow)	2,000/min (medium)	3,000/min (high)	3.2kg (BSL36A18X)	18V
CR18DA(G4Z)	50mm	12mm	50mm	-	-	0 - 3,200/min	1.7kg (BSL36A18X)	18V

# High Performing Brushless Tool Kits

## 18V Brushless Impact Drill & Impact Driver Kit

KC18DE(GBZ)

### 18V Brushless 13mm Impact Drill (DV18DE)

- Reactive Force Control (RFC) anti-kickback feature
- Heavy Duty 13mm keyless chuck and 22 stage clutch
- 70 hard torque output

### 18V Brushless 175Nm Impact Driver (WH18DE)

- High torque compact model with superior handling
- Variable speed trigger

Includes 2x 18V 4.0Ah batteries (BSL1840M), Smart Charger and Case



**BRUSHLESS**

**4.0Ah**



## 18V Brushless Impact Drill & Angle Grinder Kit

KC182DE(GRZ)

### 18V Brushless 13mm Impact Drill (DV18DE)

- 70 hard torque output
- Compact, powerful brushless model, with superior handling
- Heavy Duty 13mm keyless chuck and 22 stage clutch

### 18V Brushless 125mm Angle Grinder (G1813DA)

- Anti-kickback, overload and restart protection
- Slide Switch for easy operation
- Anti-vibration handle

Includes 2x 4.0Ah Li-ion Compact batteries (BSL1840M), Smart Charger and case.



**BRUSHLESS**

**4.0Ah**



## 18V Brushless 3-Tool Kit

KC183DA(GRZ)

### 18V Brushless 13mm Impact Drill (DV18DE)

- Compact, powerful brushless model, with superior handling
- Heavy Duty 13mm keyless chuck and 22 stage clutch

### 18V Brushless 1/2" 345Nm Impact Wrench (WR18DH)

- IP56 Dust and Water resistant
- 4-stage speed selector and forward/reverse trigger

### 18V Brushless 125mm Angle Grinder (G1813DA)

- Anti-kickback, overload and restart protection
- Slide Switch and anti-vibration handle

Includes 2x 4.0Ah Li-ion Compact batteries (BSL1840M), Smart Charger and case.



**BRUSHLESS**

**4.0Ah**



# Next Gen. Drill & Driver Kit

## High Performance Drill & Driver Twin Packs

### 36V Brushless Impact Drill & Impact Driver Kit

KC36DC(GRZ)

#### 36V 13mm 155Nm High Powered Impact Drill (DV36DC)

- Reactive Force Control Gyro Sensor anti-kickback feature
- Robust aluminium gear case

#### 36V 215Nm High Powered Impact Driver (WH36DC)

- Triple Hammer design
  - 5-mode selector – to tackle a variety of applications
- Includes 2x 1080W MULTI VOLT batteries (BSL36A18), Rapid Charger and case



### 18V Brushless Impact Drill & Impact Driver Kit

KC18DC(GRZ)

#### 18V 13mm 140Nm High Powered Impact Drill (DV18DC)

- Reactive Force Control Gyro Sensor anti-kickback feature
- Robust aluminium gear case

#### 18V 210Nm High Powered Impact Driver (WH18DC)

- Triple Hammer design
  - 5-mode selector – to tackle a variety of applications
- Includes 2x 1080W MULTI VOLT batteries (BSL36A18), Rapid Charger and case



### 18V Brushless Impact Drill & Impact Driver Kit

KC18DE(GAZ)

#### 18V Brushless 13mm Impact Drill (DV18DE)

- Reactive Force Control (RFC) anti-kickback feature
- Robust aluminium gear case and 13mm keyless chuck

#### 18V Brushless 175Nm Impact Driver (WH18DE)

- High torque compact model with superior handling
  - Variable speed trigger
- Includes 2x 1080W MULTI VOLT batteries (BSL36A18), Rapid Charger and case



Model	Torque Rating	No Load Speed	Impact Mode	Light Type	Motor Type	Length	Weight	Voltage
DV36DC	155Nm	550/min (Lo) / 2,200/min (Hi)	0 – 33,000/min	LED	Brushless	190mm	2.8kg	36V
WH36DC	215Nm	0 – 4,100/min	0 – 3,400/min	3x LED	Brushless	114mm	1.6kg	36V
DV18DC	140Nm	500/min (Lo) / 2,000/min (Hi)	0 – 30,000/min	LED	Brushless	190mm	2.8kg	18V
WH18DC	210Nm	0 – 3,700/min	0 – 4,000/min	3x LED	Brushless	114mm	1.6kg	18V
DV18DE	70Nm	550/min (Lo) / 2,000/min (Hi)	0 – 30,000/min	LED	Brushless	159mm	1.9kg	18V
WH18DE	175Nm	0 – 3,100/min	0 – 3,400/min	LED	Brushless	114mm	1.6kg	18V

# High Powered Brushless MULTI VOLT™ Combo Kits

## 36V/18V MULTI VOLT Brushless 4-Tool Kit

KC36184DA(GRZ)

### Kit Includes:

- 18V Brushless 13mm Impact Drill (DV18DE)
- 18V Brushless 175Nm Impact Driver (WH18DE)
- 18V Brushless 125mm Angle Grinder (G1813DA)
- 36V Brushless 185mm Circular Saw (C3607DB)

Supplied with 2x 1080W MULTI VOLT batteries (BSL36A18), 32min. Rapid Smart Charger and case 3 & Case 4.



Scan QR code for tool specs.



## 36V/18V MULTI VOLT Brushless 5-Tool Kit

KC18365DA(GRZ)

### Kit Includes:

- 18V Brushless 13mm Impact Drill (DV18DE)
- 18V Brushless 175Nm Impact Driver (WH18DE)
- 18V Brushless 125mm Angle Grinder (G1813DA)
- 36V Brushless 185mm Circular Saw (C3607DB)
- 18V Brushless 130mm Sabre Saw (CR18DMA)

Supplied with 2x 1080W MULTI VOLT batteries (BSL36A18), 32min. Rapid Smart Charger and case 3 & 4.



Scan QR code for tool specs.



## 36V/18V MULTI VOLT Brushless 6-Tool Kit

KC18366DA(GRZ)

### Kit Includes:

- 18V Brushless 13mm Impact Drill (DV18DE)
- 18V Brushless 175Nm Impact Driver (WH18DE)
- 18V 125mm Brushless Angle Grinder (G1813DA)
- 36V High Powered 185mm Circular Saw (C3607DB)
- 18V Brushless 130mm Sabre Saw (CR18DMA)
- 18V Brushless 125mm Orbital Sander (SV1813DA)

Supplied with 2x 1080W MULTI VOLT batteries (BSL36A18), 32min. Rapid Smart Charger and Large Tool Bag



Scan QR code for tool specs.



# High Powered MULTI VOLT™ Combo Kits

## 36V/18V MULTI VOLT Brushless 8-Tool Kit

KC18368DE(GRZ)

### Kit Includes:

- 18V Brushless 13mm Impact Drill (DV18DE)
- 18V Brushless 175Nm Impact Driver (WH18DE)
- 18V Brushless 125mm Angle Grinder (G1813DA)
- 36V Brushless 185mm Circular Saw (C3607DB)
- 18V Brushless 130mm Sabre Saw (CR18DMA)
- 18V Brushless 18mm SDS+ Rotary Hammer (DH18DPA)
- 18V Brushless 125mm Orbital Sander (SV1813DA)
- 18V 3-Stage Blower (RB18DC)

Supplied with 2x 1080W MULTI VOLT batteries (BSL36A18), 32min. Rapid Smart Charger and 2x Case 4s.



Scan QR code for tool specs.

## 36V/18V MULTI VOLT 10-Tool Kit

KC183610DE(GRZ)

### Kit Includes:

- 18V Brushless 13mm Impact Drill (DV18DE)
- 18V Brushless 175Nm Impact Driver (WH18DE)
- 18V Brushless 125mm Angle Grinder (G1813DA)
- 36V Brushless 185mm Circular Saw (C3607DB)
- 18V Brushless 130mm Sabre Saw (CR18DMA)
- 18V Brushless 26mm SDS+ Rotary Hammer (DH18DBL)
- 18V Brushless UVP Multi Tool (CV18DA)
- 18V Brushless 1/4" Laminate Trimmer (M1808DA)
- 18V 82mm Planer (P18DSL)
- 18V 3-Stage Blower (RB18DC)

Supplied with 2x 1080W MULTI VOLT batteries (BSL36A18), 32min. Rapid Smart Charger and 2x Case 4s.



Scan QR code for tool specs.

# Premium 36V Brushless MULTI VOLT™ Kits

## 36V Premium Brushless Impact Drill & Impact Wrench Kit

KC362DPL(GRZ)

### Kit Includes:

- 36V Brushless 155Nm 13mm Impact Drill (DV36DC)
- 36V Brushless 1/2" 380Nm Impact Wrench (WR36DH)

Includes 2x 1080W MULTI VOLT batteries (BSL36A18),

32min. Rapid Smart Charger and case



Scan QR code for tool specs.



## 36V Premium Brushless 3-Tool Kit

KC363DRBL(GRZ)

### Kit Includes:

- 36V Brushless 13mm 155Nm Impact Drill (DV36DC)
- 36V Brushless 125mm Safety Angle Grinder (C3613DVF)
- 36V Brushless 1/2" 770Nm Impact Wrench (WR36DE)

Supplied with 2x 1080W MULTI VOLT batteries (BSL36A18),

32min. Rapid Smart Charger and case 3



Scan QR code for tool specs.



## 36V Premium Brushless 3-Tool Kit

KC363DC(GRZ)

### Kit Includes:

- 36V Brushless 13mm 155Nm Impact Drill (DV36DC)
- 36V Brushless 215Nm Impact Driver (WH36DC)
- 36V Brushless 185mm Circular Saw (C3607DB)

Supplied with 2x 1080W MULTI VOLT batteries (BSL36A18),

32min. Rapid Charger and case 3 & 4.



Scan QR code for tool specs.



# Premium 36V Brushless MULTI VOLT™ Kits

## 36V Premium Brushless 5-Tool Kit

KC365DC(GRZ)

### Kit Includes:

- 36V Brushless 13mm 155Nm Impact Drill (DV36DC)
- 36V Brushless 215Nm Triple Hammer Impact Driver (WH36DC)
- 36V Brushless 185mm Circular Saw (C3607DB)
- 36V Brushless 125mm Safety Angle Grinder (G3613DVF)
- 36V Brushless Heavy Duty Sabre Saw (CR36DA)

Supplied with 2x 1080W MULTI VOLT batteries (BSL36A18), 32min. Rapid Smart Charger and Large Toolbag



BRUSHLESS



Scan QR code for tool specs.

## 36V Premium Brushless 6-Tool Kit

KC366DC(GRZ)

### Kit Includes:

- 36V Brushless 13mm 155Nm Impact Drill (DV36DC)
- 36V Brushless 215Nm Triple Hammer Impact Driver (WH36DC)
- 36V Brushless 185mm Circular Saw (C3607DB)
- 36V Brushless 125mm Safety Angle Grinder (G3613DVF)
- 36V Brushless Heavy Duty Sabre Saw (CR36DA)
- 36V Brushless 28mm SDS+ Rotary Hammer (DH3628DC)

Supplied with 2x 1080W MULTI VOLT batteries (BSL36A18), 32min. Rapid Smart Charger and X-Large Toolbag



BRUSHLESS



Scan QR code for tool specs.

## How to Redeem your Bonus Item.

To claim a redemption bonus item, please go to [www.hikoki.co.nz/redemption-form/](http://www.hikoki.co.nz/redemption-form/) or alternatively scan the QR code. You can also send your redemption claim via email [redemptions@hikoki.co.nz](mailto:redemptions@hikoki.co.nz) with your PROOF OF PURCHASE and PHOTO OF BARCODE featured on the packaging along with your Name, Delivery Address, Phone Number, Email Address and the Bonus Item you are claiming for.

### SPEND & REDEEM REDEMPTION TERMS & CONDITIONS

This redemption offer is valid only to consumers who purchase \$699 or more (incl GST) on qualifying HIKOKI Cordless Power Tools between 1 May - 31 July 2024.

**Proof of purchase is essential to validate claim and a photo of the barcode** located on the packaging. Please go to [www.hikoki.co.nz/promotions](http://www.hikoki.co.nz/promotions) and complete the online redemption form or send it to [redemptions@hikoki.co.nz](mailto:redemptions@hikoki.co.nz). Please attach a COPY of your purchase receipt/invoice with the claim form. Please provide a physical NZ address, no PO. Boxes. Offer is only valid for NZ residents. Receipt must clearly show the cordless tool model(s) or tool combo kit purchased, date of purchase, place of purchase, The name of the Authorised HPT Dealer purchased from and the price paid to substantiate the claim. HIKOKI NZ reserves the right to request further information regarding proof of purchase from the redeemer if circumstances warrant. Keep your original receipt for warranty purposes. HIKOKI NZ accepts no liability for claims that may be delayed, misdirected causing them to not be received by the closing date. **Redemption offer will be dispatched within 6 weeks of receipt of claim.** While stocks last. An alternative bonus may be provided at the discretion of HIKOKI NZ. Offer only valid when products purchased through authorised HIKOKI NZ resellers. Purchase of second hand or parallel imported tools or tools for use in a Hire Environment do not qualify. This promotion cannot be used in conjunction with any other offers. Redemption offer claims must be received by 15th August 2024. **Promotional Offer excludes individually purchased chargers, batteries, accessories, storage as well as AC (Corded) Power Tools. For the full terms & conditions and to redeem, go to [www.hikoki.co.nz/promotions/](http://www.hikoki.co.nz/promotions/)**



Scan to redeem.

# Powerful Gasless Metal Connector Nailer Kit

## 36V Gasless 65mm Metal Connector Nailer Kit

NR3665DA(GMZ)

- 36V Air Drive system, nails driven deep by compressed air
- Powered by HiKOKI's ultra-fast brushless motor
- Low running costs, no gas cartridge required
- Easily set tip of nailer at the hole in the metal connector
- Designed for fastening various types of pre-punched hole metal connectors into wood including joist hangers
- Zero ramp-up time from standby
- Consistent performance and power output

Supplied with 2x MULTI VOLT batteries (BSL36A18), Rapid Charger, safety glasses and case.



Driving Type	Nail Angle	Nail Length	Magazine Angle	Nose Type	Loading Capacity	Firing Mode	Voltage
Gasless Air Drive	34°	38mm - 65mm	36°	Positive Placement Probe	31 nails	Full sequential	36V Gasless

## 18V Gasless 90mm Framing Nailer & 16GA Angle Brad Nailer Kit

KC18DCGM(GKZ)

### 18V Gasless 90mm Framing Nailer (NR1890DBCL)

- 18V Air Drive system, nails driven deep by compressed air
- Dry-fire lockout function

### 18V Gasless 16GA Angle Brad Nailer (NT1865DA)

- 18V Air Drive system, nails driven deep by compressed air
- Zero ramp-up time from standby

Supplied with 2x 1080W batteries (BSL36A18), Rapid Charger, Cases



Model	Driving Type	Nail Length	Nail Type	Depth Adjustment	Loading Capacity	Firing Mode	Voltage
NR1890DBCL	Air Drive	50mm - 90mm	30° - 34° D-head	Tool-less	47 nails	Full sequential	18V Gasless
NT1865DA	Air Drive	32mm - 65mm	20° 16GA C Series	Tool-less	100 nails	Full sequential	18V Gasless

# Next Gen. 36V Outdoor Power Equipment Bare Tools

## 36V Brushless 350mm Chainsaw BARE TOOL

CS3635DB(G4Z)

- Powerful 36V brushless motor delivering high-powered cutting
- 350mm bar size
- Tool-less chain tensioner and chain changing
- Lower vibration levels compared to CS3630DA

Supplied without batteries and charger.



**36V**

**BRUSHLESS**

Model	Bar Length	Chain Speed	Oil Tank Capacity	Chain Changing	Chain Tensioning	Motor Type	Weight	Voltage
CS3630DB	300mm	14.9m/s	120mL	Tool-less	Tool-less	Brushless	3.8kg	36V
CS3635DB	350mm	14.9m/s	120mL	Tool-less	Tool-less	Brushless	3.8kg	36V

## 36V 560mm Hedge Trimmer BARE TOOL

CH3656DA(G4Z)

- 4-stage speed selector
- Approx. 60min. of runtime per charge (BSL36A18)
- Triple-edged 560mm blade for high performance cutting
- Durable aluminium gearbox

Supplied without batteries and charger.



**36V**

Blade Length	Effective Length	Blade Pitch	Blade Type	Speed Settings	Overall Length	Weight	Voltage
620mm	560mm	35mm	Triple Edge Blade	4-speeds	1088mm	4.1kg	36V

## 36V Brushless Blower BARE TOOL

RB36DA(G4Z)

- High-efficiency and durable brushless motor
- 4-speed switch plus turbo mode
- Max air volume 800m<sup>3</sup>/h when in turbo mode

Supplied without batteries and charger.



**36V**

**BRUSHLESS**

Motor Type	Air Velocity	Air Volume (Std)	Air Volume (Turbo)	Modes	Overall Length	Weight	Voltage
Brushless	45m/s	680m <sup>3</sup> /h	800m <sup>3</sup> /h	4-modes + turbo mode	940mm	3.5kg	36V

## 36V Straight Shaft Line Trimmer BARE TOOL

CG36DB(G4Z) / CG36DB(G5Z)

- Variable speed control panel
- 3-mode selector (High, Middle, Eco mode)
- Low noise, low vibration
- Loop handle CG36DB(G4Z) / Bike handle CG36DB(G5Z)
- Hassle-free start-up and set-up
- Rear motor positioning for greater balance

Supplied without batteries and charger.



**36V**

CG36DB(G5Z)  
Bike Handle Model

Model	Runtime (BSL36B18)	No Load Speed	Handle Type	Weight	Voltage
CG36DB(G4Z)	46min (high) / 76min (mid) / 121min (low)	6,500/min (high) / 5,500/min (mid) / 4,000/min (low)	Loop	3.9kg	36V
CG36DB(G5Z)	46min (high) / 76min (mid) / 121min (low)	6,500/min (high) / 5,500/min (mid) / 4,000/min (low)	Bike Handle	4.2kg	36V

# Popular High Powered Brushless Single Tool Kits

## 36V Brushless Rebar Bender / Cutter Kit

VB3616DA(GGZ)

- Cuts and bends high tensile rebar up to 16mm without sparks
- Fine adjustment dial and Automatic Reverse rotation mode
- Bend diameter of 62mm\*
- Optional rollers available for bending stirrups (38mm)

Includes 2x MULTI VOLT batteries (BSL36A18), Rapid Charger, and case

Also available as a bare tool VB3616DA(G4Z)



\*When cutting into D48mm steel pipe and when using curve blade  
\*Refer to your local Territorial Authority for suitability.



Bending / Cutting Capacity	Cutting Speed	Cutting	Bending	Weight	Voltage
10mm, 12mm, 16mm	3.8 sec	Approx. 170 (BSL36A18)	Approx. 310 (BSL36A18)	18.5kg	36V

## 36V Brushless 1/2" Plunge Router Kit

M3612DA(GPZ)

- Variable speed control and brake function
- Superior cutting speeds over AC models
- Functional switch design located on the handle
- Highly accurate depth adjustment system

Includes 2x MULTI VOLT batteries (BSL36A18), Rapid Charger, dust port, guide, case.

Also available as a bare tool M3612DA(G4Z)



Collet Chuck	Switch Position	No Load Speed	Plunge Depth	Motor Type	Weight	Voltage
1/2"	Handle	11,000 - 25,000/min	50mm	Brushless	3.8kg	36V

## 36V Brushless 1/4" 215Nm Impact Driver Kit

WH36DC(GGZ)

- Triple Hammer design with electronic control for smooth powerful operation
- 215Nm max tightening torque
- Compact and lightweight design for easy access into tight spaces
- 5-Mode Selector: Soft / Power / Bolt / Bolt Single / Self Drilling Mode

Includes 2x 1080W MULTI VOLT batteries (BSL36A18), Rapid Charger and case

Available as a bare tool WH36DC(G4Z)

Also available in Strong Black WH36DC(G5Z)

Also available in Flare Red WH36DC(G6Z)

Also available in Ocean Blue WH36DC(G7Z)

Also available in Forest Green WH36DC(G8Z)



Tightening Torque	Drive	Bolt Capacity	Screw Capacity	No Load Speed	Full Load Impact Rate	Overall Length	Weight	Voltage
215Nm	1/4" Hex	5 - 18mm	4 - 10mm	0-3,700/min	0 - 4,100/min	114mm	1.6kg (BSL36A18X)	36V

# High Powered Brushless Impact Wrench Bare Tools

## 36V Brushless 1/2" 1400Nm Impact Wrench BARE TOOL

WR36DG(G4Z)

- Powerful 36V Brushless Motor
- 2,000Nm Nut Busting Torque
- 4 Stage tightening mode selector
- Auto Stop and Variable Speed Function
- IP56 Water & Dust resistant

Supplied without batteries, socket and charger

<b>Tightening Torque</b>	1400Nm
<b>Nut Busting Torque</b>	2000Nm
<b>Bolt Capacity</b>	M12 - M33
<b>High Tension Bolt</b>	M10 - M24
<b>No Load Speed</b>	0 - 1,500/min
<b>Full Impact Rate</b>	0 - 2,500/min
<b>Weight</b>	3.9kg (BSL36A18X)
<b>Voltage</b>	36V



Scan for tool specs.

## 36V Brushless 3/4" 1900Nm Impact Wrench BARE TOOL

WR36DF(G4Z)

- Powerful 36V Brushless Motor
- 2,400Nm Nut Busting Torque
- 4 Stage tightening mode selector
- Auto Stop and Variable Speed Function
- IP56 Water & Dust resistant

Supplied without batteries, socket and charger

<b>Tightening Torque</b>	1900Nm
<b>Nut Busting Torque</b>	2400Nm
<b>Bolt Capacity</b>	M12 - M33
<b>High Tension Bolt</b>	M10 - M24
<b>No Load Speed</b>	0 - 1,500/min
<b>Full Impact Rate</b>	0 - 2,500/min
<b>Weight</b>	3.9kg (BSL36A18X)
<b>Voltage</b>	36V



Scan for tool specs.

## 36V Brushless 1/2" 380Nm Impact Wrench BARE TOOL

WR36DH(G4Z)

- Powerful 36V Brushless Motor
- 700Nm Nut Busting Torque
- 4 Stage tightening mode selector
- Auto Stop and Variable Speed Function
- IP56 Water & Dust resistant

Supplied without batteries and charger

<b>Tightening Torque</b>	380Nm
<b>Nut Busting Torque</b>	700Nm
<b>Bolt Capacity</b>	M12 - M20
<b>High Tension Bolt</b>	M8 - M16
<b>No Load Speed</b>	0 - 3,000/min
<b>Full Impact Rate</b>	0 - 4,100/min
<b>Weight</b>	2.0kg (BSL36A18X)
<b>Voltage</b>	36V



Scan for tool specs.

## 18V Brushless 1/2" 345Nm Impact Wrench BARE TOOL

WR18DH(G4Z)

- Powerful 18V Brushless Motor
- 600Nm Nut Busting Torque
- 4 Stage tightening mode selector
- Auto Stop and Variable Speed Function
- IP56 Water & Dust resistant

Supplied without batteries and charger

<b>Tightening Torque</b>	345Nm
<b>Nut Busting Torque</b>	600Nm
<b>Bolt Capacity</b>	M12 - M20
<b>High Tension Bolt</b>	M10 - M16
<b>No Load Speed</b>	0 - 2,800/min
<b>Full Impact Rate</b>	0 - 4,000/min
<b>Weight</b>	2.0kg (BSL36A18X)
<b>Voltage</b>	18V



Scan for tool specs.

## 36V Brushless 3/4" 1100Nm Impact Wrench BARE TOOL

WR36DA(G4Z)

- 4 Stage tightening mode
- Variable Speed Function
- IP56 Water & Dust resistant

Supplied without batteries and charger

<b>Tightening Torque</b>	1100Nm
<b>Nut Busting Torque</b>	1,800Nm
<b>Bolt Capacity</b>	M12 - M30
<b>High Tension Bolt</b>	M10 - M24
<b>No Load Speed</b>	0 - 1,500/min
<b>Full Impact Rate</b>	0 - 2,900/min
<b>Weight</b>	3.7kg
<b>Voltage</b>	36V



Scan for tool specs.

## 36V Brushless 1/2" 1050Nm Impact Wrench BARE TOOL

WR36DB(G4Z)

- 4 Stage tightening mode
- Variable Speed Function
- IP56 Water & Dust resistant

Supplied without batteries and charger

<b>Tightening Torque</b>	1050Nm
<b>Nut Busting Torque</b>	1,650Nm
<b>Bolt Capacity</b>	M12 - M30
<b>High Tension Bolt</b>	M10 - M24
<b>No Load Speed</b>	0 - 1,500/min
<b>Full Impact Rate</b>	0 - 2,900/min
<b>Weight</b>	3.7kg
<b>Voltage</b>	36V



Scan for tool specs.

## 36V Brushless 1/2" 770Nm Impact Wrench BARE TOOL

WR36DE(G4Z)

- 4 Stage tightening mode
- Variable Speed Function
- IP56 Water & Dust resistant

Supplied without batteries and charger

<b>Tightening Torque</b>	770Nm
<b>Nut Busting Torque</b>	1,050Nm
<b>Bolt Capacity</b>	M10 - M20
<b>High Tension Bolt</b>	M10 - M16
<b>No Load Speed</b>	0 - 2,400/min
<b>Full Impact Rate</b>	0 - 3,400/min
<b>Weight</b>	2.6kg
<b>Voltage</b>	36V



Scan for tool specs.

# High Powered Gasless Framing and Finishing Nailers

## 18V Gasless 90mm Framing Nailer Kit

NR1890DBCL(GMZ)

- 18V Air Drive system, nails driven deep by compressed air
- No gas cartridge required
- Dry-fire lockout, low noise and low recoil safety feature

Supplied with 2x 1080W MULTI VOLT batteries, Rapid Charger, Carry Case

Driving Type	Air Drive
Nail Length	50 - 90mm
Nail Type	30° - 34° D-Head
Nail Shank Size	2.9 - 3.3mm
Depth Adjustment	Tool-less
Loading Capacity	47 nails
Firing Mode	Full Sequential
Voltage	18V



Scan for tool specs.

## 18V Gasless 16GA Straight Brad Nailer Kit

NT1865DBSL(GYZ)

- 18V Air Drive system, nails driven deep by compressed air
- No gas cartridge required
- Dry-fire lockout, low noise and low recoil safety feature

Supplied with 1x 1080W MULTI VOLT battery, Rapid Charger, Carry Case

Driving Type	Air Drive
Nail Length	25 - 65mm
Nail Type	16GA C Series
Nail Shank Size	1.4 - 1.65mm
Depth Adjustment	Tool-less
Loading Capacity	100 nails (1 strip)
Firing Mode	Full Sequential
Voltage	18V



Scan for tool specs.

## 18V Gasless 16GA Angled Brad Nailer Kit

NT1865DA(GYZ)

- 18V Air Drive system, nails driven deep by compressed air
- No gas cartridge required
- Dry-fire lockout, low noise and low recoil safety feature

Supplied with 1x 1080W MULTI VOLT battery, Rapid Charger, Carry Case

Driving Type	Air Drive
Nail Length	32 - 65mm
Nail Type	20° 16GA C Series
Nail Shank Size	1.4 - 1.65mm
Depth Adjustment	Tool-less
Loading Capacity	100 nails
Firing Mode	Full Sequential
Voltage	18V



Scan for tool specs.

## 18V Gasless 15GA Angled Brad Nailer Kit

NT1865DBAL(GYZ)

- 18V Air Drive system, nails driven deep by compressed air
- No gas cartridge required
- Dry-fire lockout, low noise and low recoil safety feature

Supplied with 1x 1080W MULTI VOLT battery, Rapid Charger, Carry Case

Driving Type	Air Drive
Nail Length	32 - 65mm
Nail Type	34° 15GA DA Series
Nail Shank Size	1.8 - 1.65mm
Depth Adjustment	Tool-less
Loading Capacity	100 nails
Firing Mode	Full Sequential
Voltage	18V



Scan for tool specs.

## 18V Gasless 90mm Framing Nailer BARE TOOL

NR1890DBCL(G5Z)

- 18V Air Drive system
- No gas cartridge
- Dry-fire lockout,
- Low recoil

Supplied without batteries and charger

Driving Type	Air Drive
Nail Length	32 - 65mm
Nail Type	30° - 34° D-Head
Nail Shank Size	2.9 - 3.3mm
Depth Adjustment	Tool-less
Loading Capacity	47 nails
Firing Mode	Full Sequential
Voltage	18V



Scan for tool specs.

## 18V Gasless 16GA Angled Brad Nailer BARE TOOL

NT1865DA(G4Z)

- 18V Air Drive system
- No gas cartridge
- Dry-fire lockout,
- Low recoil

Supplied without batteries and charger

Driving Type	Air Drive
Nail Length	32 - 65mm
Nail Type	20° 16GA C Series
Nail Shank Size	1.4 - 1.65mm
Depth Adjustment	Tool-less
Loading Capacity	100 nails
Firing Mode	Full Sequential
Voltage	18V



Scan for tool specs.

## 18V Gasless 18GA Brad Nailer BARE TOOL

NT1850DA(G4Z)

- 18V Air Drive system
- No gas cartridge
- Dry-fire lockout,
- Low recoil

Supplied without batteries and charger

Driving Type	Air Drive
Nail Length	16 - 50mm
Nail Type	18GA C1 Series
Nail Shank Size	1.0 - 1.25mm
Depth Adjustment	Tool-less
Loading Capacity	100 nails
Firing Mode	Full Sequential
Voltage	18V



Scan for tool specs.

# Premium 18V LED Lighting System ranging from 110lm - 10,000lm

## 18V 4000lm Tower Light BARE TOOL

UB18DG(H4Z)

- Telescopic adjustable height (1035mm - 2150mm)
- 3x independently pivoting LED lights
- Approx. 10.5 hours run time at 1,000lm (BSL36A18)
- 4 steps brightness adjustment dial
- Power via Battery or AC Adaptor

Supplied without batteries and charger.  
Includes AC Adaptor.

Brightness	4000lm
IP Rating	IP55
Runtime (BSL36A18X)	up to 10.5hours*
Individual LED Lights	66
Adjustable Angle	360°
Light Modes	4 modes
Weight	8.1kg (BSL36A18X)
Voltage	18V



Scan for tool specs.

## 18V 10,000lm Worksite Light BARE TOOL

UB18DD(H4Z)

- Adjust brightness between 1000 - 10,000lm
- 15 step brightness level dial
- Battery level indicator
- USB port for charging devices
- Power via Battery or AC Adaptor

Supplied without batteries and charger.  
Includes AC Adaptor.

Brightness	10,000lm
IP Rating	IP65
Runtime (BSL36A18X)	up to 9 hours*
Individual LED Lights	216
Adjustable Angle	144°
Light Modes	15 brightness levels
Weight	4.1kg (BSL36A18X)
Voltage	18V



Scan for tool specs.

## 18V 110lm Worklight BARE TOOL

UB18DJL(L0Z)

- 3 mode brightness
- 12 bright LED lights
- Includes hanging hook
- 270° head rotation range
- Torchlight mode

Supplied without batteries and charger.

Brightness	110lm
IP Rating	N/A
Runtime	up to 51 hours*
LED Lights	13
Adjustable Angle	270°
Lighting Modes	3 modes
Weight	0.9kg
Voltage	18V



Scan for tool specs.

## 18V 250lm Light BARE TOOL

UB18DE(E4Z)

- 2 modes (120lm/250lm)
- Soft grip with ergonomic design
- 130° head rotation range
- 6 different lighting positions

Supplied without batteries and charger.

Brightness	250lm
IP Rating	N/A
Runtime	up to 63 hours*
LED Lights	1
Adjustable Angle	130°
Lighting Modes	2 modes
Weight	0.9kg
Voltage	18V



Scan for tool specs.

## 18V 750lm Worksite Lantern BARE TOOL

UB18DF(E4Z)

- 2 modes (320lm/750lm)
- Soft grip with ergonomic design
- 360° head rotation range
- Hanging hook

Supplied without batteries and charger.

Brightness	750lm
IP Rating	N/A
Runtime	up to 29 hours*
LED Lights	24
Adjustable Angle	360°
Lighting Modes	2 modes
Weight	0.9kg
Voltage	18V



Scan for tool specs.

## 18V 2,000lm Worksite Light BARE TOOL

UB18DB(H4Z)

- Adjust brightness between 350 - 2,000lm
- 30 step brightness dial
- Direction of light can be rotated 360°
- Hanging hook
- Remaining battery indicator

Supplied without batteries and charger.

Brightness	2000lm
IP Rating	IP54
Runtime (BSL36A18X)	up to 32 hours*
Individual LED Lights	1
Adjustable Angle	360°
Light Modes	2 modes
Weight	1.2kg (BSL36A18X)
Voltage	18V



Scan for tool specs.

## 18V 4,000lm Worksite Light BARE TOOL

UB18DC(H4Z)

- Adjust brightness between 700 - 4,000lm
- 15 step brightness level dial
- Battery level indicator
- USB port for charging devices
- Direction of light can be rotated 138°

Supplied without batteries and charger.

Brightness	4000lm
IP Rating	IP65
Runtime (BSL36A18X)	up to 20 hours*
Individual LED Lights	60
Adjustable Angle	138°
Light Modes	15 brightness levels
Weight	1.9kg (BSL36A18X)
Voltage	18V



Scan for tool specs.

# Popular High Powered Bare Tools

## 36V Brushless Mixer BARE TOOL

UM36DA(G4Z)



Screw Diameter	200mm
Spindle Thread	M14
No-Load Speed (Hi)	0 - 1,200/min
No-Load Speed (Low)	0 - 500/min
Runtime per charge	38min (Hi) / 42min (Low)
Motor Type	Brushless
Weight	3.8kg
Voltage	36V



Scan for tool specs.

## 36V Brushless Vibrator BARE TOOL

UV3628DA(G4Z)



Rod Diameter	Φ28mm
Rod Length	824mm
Vibrations (Hi)	15,000/min
Vibrations (Low)	1,200/min
No-Load Speed (Hi)	0 - 1,200
Motor Type	Brushless
Weight	2.5kg
Voltage	36V



Scan for tool specs.

## 18V Brushless 1/4" Laminate Trimmer BARE TOOL

M1808DA(G4Z)



Collet Chuck	1/4"
Switch Position	Grip
No-Load Speed	10,000 - 30,000min
Plunge Depth	40mm
Base Mount	64.8Φ
Motor Type	Brushless
Weight	1.7kg
Voltage	18V



Scan for tool specs.

## 18V 550°C Cordless Heat Gun BARE TOOL

RH18DA(G4Z)



Stage I Temp.	30° - 400°
Stage II Temp.	30° - 550°
LCD Panel	Yes
Air Flow Volume	Low: 200L/min High: 300L/min
LED Light	Yes
Weight	0.6kg (Bare Tool)
Voltage	18V



Scan for tool specs.

## 18V Brushless 125mm Random Orbital Sander BARE TOOL

SV1813DA(G4Z)



Capacity	125mm
No-Load Speed	7,000 - 11,000min
Brake	Yes
Variable Speed	Yes
Dust Collection	Dust Bag
Overall Length	158mm
Weight	1.8kg (BSL36A18X)
Voltage	18V



Scan for tool specs.

## 18V 300ml/600ml 3,000N Caulking Gun BARE TOOL

AC18DA(G5Z)



Model	AC18DA(G4Z)	AC18DA(G5Z)
Max. Pushing Force	3,000N	3,000N
No-Load Speed	0.9 - 14mm/sec	0.9 - 14mm/sec
Capacity	300ml	300ml/600ml (sausage)
Auto Reverse	Yes	Yes
Overall Length	482mm	782mm
Weight	2.3kg (BSL36A18X)	3.4 (BSL36A18X)
Voltage	18V	18V



Scan for tool specs.

## 36V Brushless 76mm Belt Sander BARE TOOL

SB3608DA(G4Z)



Sanding Capacity	76 x 533mm
Belt Change	Tool-free
Speed Modes	5 + AUTO mode
Variable Belt Speed	122 - 450m/mm
Dust Collection	Bag
Motor Type	Brushless
Weight	4.5kg (BSL36B18X)
Voltage	36V



Scan for tool specs.



# MULTI CRUISER

MULTI CRUISER is an interlocking modular storage system that's versatile, customisable and makes transporting of tools easy. MULTI CRUISER is constructed from rugged impact resistant material to withstand harsh environments and provide added tool protection. MULTI CRUISER offers a range of inner trays, cases, and accessories to support a wide range of configurations.



**IP65 Water & Dust Protection**

Durable construction designed to protect contents against harsh elements



**Heavy-duty Large Latch System**

Creates a water tight seal against dust, soil, water and rain




**Quick Secure Stacking Latches**

Easily stack and secure multiple storage cases for easy transportation



**Organiser Trays**

Easily organise larger accessories with Organiser Trays



**Organiser Cases**

Easily organise small items such as screws, drill and driver bits

# MULTI CRUISER

## Modular Storage System

### MULTI CRUISER MEDIUM TOOL BOX

379481

- Rugged impact resistant design
- Durable top handle
- IP65 water and dust rated
- Internal organiser trays
- External tie down points
- Robust hinge and clip connecting system



IP65

#### MULTI CRUISER

Width	560mm
Depth	400mm
Height	158mm
Max Load Capacity	30kg
Accessories Included	x2 Organiser Case



Scan for specs.

### MULTI CRUISER LARGE TOOL BOX

379484

- Rugged impact resistant design
- Durable side handles
- IP65 water and dust rated
- Inner tray for organisation
- External tie down points
- Robust hinge and clip connecting system



IP65

#### MULTI CRUISER

Width	560mm
Depth	400mm
Height	315mm
Max Load Capacity	60kg
Accessories Included	1x Organiser Tray



Scan for specs.

### MULTI CRUISER PORTABLE TOOL BOX

379487

- 9" Large all terrain wheels with heavy duty metal axle
- Rugged impact resistant design
- Durable side handles
- IP65 water and dust rated
- External tie down points
- Robust hinge and clip connecting system
- 120kg weight loading



Width	560mm
Depth	480mm
Height	678mm
Max Load Capacity	120kg
Accessories Included	1x Organiser Trays

IP65

#### MULTI CRUISER



Scan for specs.

### Optional Multi Cruiser Accessories

Accessorise your Multi Cruiser Storage to maximise versatility



# 18V & 36V Power Tool Adaptors, Batteries & Chargers

## 1080W MULTI VOLT Battery

BSL36A18X

- 2.5Ah at 36V or 5.0Ah at 18V
- Up to 1500 recharge cycles\*
- Smart battery indicator
- 18650 high capacity cell
- Shock resistant housing



<b>Voltage (Auto Switch)</b>	18V (5.0Ah) / 36V (2.5Ah)
<b>Battery Indicator</b>	4-LED Display
<b>Cell Type</b>	18650
<b>Heat Protection</b>	Yes
<b>Overload Protection</b>	Yes
<b>Overcharge Protection</b>	Yes
<b>Water Resistant</b>	Yes*
<b>Weight</b>	0.74 kg



Scan for tool specs.

## 1440W MULTI VOLT Battery

BSL36B18X

- 4.0Ah at 36V or 8.0Ah at 18V
- Up to 1500 recharge cycles\*
- Smart battery indicator
- 21700 high capacity cell
- Shock resistant housing



<b>Voltage (Auto Switch)</b>	18V (8.0Ah) / 36V (4.0Ah)
<b>Battery Indicator</b>	4-LED Display
<b>Cell Type</b>	21700
<b>Heat Protection</b>	Yes
<b>Overload Protection</b>	Yes
<b>Overcharge Protection</b>	Yes
<b>Water Resistant</b>	Yes*
<b>Weight</b>	1.02 kg



Scan for tool specs.

## MULTI VOLT Multi Port Smart Charger

UC18YTSL(H0Z)

- Sequence or simultaneous charging
- Charges 18V & 36V batteries
- Fan-cooled technology
- Lamp indicator
- AC Power Out (230V/8A) protection



<b>Charging Mode</b>	Simultaneous / Sequence
<b>Fan-cooled</b>	Yes
<b>Charging Voltage</b>	18V & 36V Batteries
<b>USB Out</b>	2x
<b>AC Power Out</b>	1x 230V (8A)
<b>LED Status Light</b>	Yes
<b>Charging Ports</b>	4x
<b>Weight</b>	1.6kg



Scan for tool specs.

## MULTI VOLT Rapid Smart Charger

UC18YSL3(H0Z)

- Charges 18V & 36V batteries
- Fan-cooled charging
- 3-way protection technology
- Rapid charging speeds
- Bright LED status light



<b>Battery Voltage</b>	18V & 36V (Multi Volt)
<b>Charging Time</b>	32 mins. (BSL36A18X)
<b>Charging Time</b>	52 mins (BSL36B18X)
<b>Fan-cooled Charging</b>	Yes
<b>LED Status Light</b>	Yes
<b>Protection</b>	Over Heat/Over Charge
<b>USB Port Out</b>	Yes
<b>Generator Safe</b>	Yes



Scan for tool specs.

## 36V AC Power Adaptor

ET36A(H0Z)

- Powers HiKOKI 36V Power Tools
- 6m long power lead
- Pivoting cord position
- Lamp indicator
- Overload/Overheat protection



<b>Power Output</b>	2000W (36V)
<b>Fan-cooled</b>	Yes
<b>Runtime</b>	Unlimited
<b>Operating Temperature</b>	-10 °C - 40 °C
<b>Cord Length</b>	6m
<b>Indicator Status Lights</b>	Yes
<b>Pivoting Cord Range</b>	90° - 180°
<b>Weight</b>	0.8kg (adaptor)



Scan for tool specs.

## MULTI VOLT Battery & Charger Starter Kit

UC18YSL3(HJZ)

- 1080W MULTI VOLT Battery
- Powers both 18V & 36V Tools
- 32min Rapid Charging
- Fan-cooled charging
- Bright LED status light



<b>Battery Type</b>	MULTI VOLT (BSL36A18X)
<b>Charging Time</b>	32 mins.
<b>Fan-cooled Charging</b>	Yes
<b>Recharge Cycles</b>	up to 1500*
<b>LED Status Light</b>	Yes
<b>Protection</b>	Over Heat/Over Charge
<b>USB Port Out</b>	Yes
<b>Generator Safe</b>	Yes



Scan for tool specs.



**HIKOKI**

36V & 18V BARE TOOL RANGE

18V

36V



**MULTI VOLT**

**36V ⚡ 18V**

*Li-ion*

Explore the world's largest  
MULTI VOLT™ System



**ONE SYSTEM.  
ONE SOLUTION.**

[www.hikoki.co.nz](http://www.hikoki.co.nz)

# HIKOKI

## SPEND & REDEEM YOUR FREE BONUS

**SPEND \$699**

or more on HIKOKI Cordless Tools\*

REDEEM A

**FREE 1080W  
MULTI VOLT  
BATTERY\***



**WORTH \$239**

OFFER VIA REDEMPTION

**SPEND \$999**

or more on HIKOKI Cordless Tools\*

REDEEM A

**FREE 1440W  
MULTI VOLT  
BATTERY\* OR 18V  
JIGSAW\***



**WORTH \$279**

OFFER VIA REDEMPTION

**SPEND \$1499**

or more on HIKOKI Cordless Tools\*

REDEEM A

**FREE BATTERY  
& CHARGER  
KIT\* OR 18V  
RADIO\***



**WORTH \$359**



**WORTH \$399**

OFFER VIA REDEMPTION

\*Offer excludes individually purchased chargers, batteries, accessories, storage and AC (Corded) Power Tools.  
TERMS & CONDITIONS APPLY. Not in conjunction with any other bonus offers. While stocks last.  
Offer valid for purchases from 1 May - 31 July 2024. Redemption closes 15 August 2024. Spend value includes GST.  
Purchases must be transacted on one receipt. Bonus value is based on RRP. Full terms & conditions, go to [hikoki.co.nz/promotions/](http://hikoki.co.nz/promotions/)

SCAN FOR  
FULL T's & C's  
AND TO  
REDEEM

